


ELMOBALTIQUE



Leather may vary in colour due to the nature of the media Please refer to website for current colour range





DESCRIPTION

AVERAGE HIDE SIZE

THICKNESS 1.3 - 1.5mm WEIGHT 980qsm

LEATHER TYPE

COLOURFASTNESS TO-AND-FRO RUBBING EN ISO 11640 + 11641

LIGHTFASTNESS EN ISO 105-B02

pH AND ∆pH EN ISO 4045

TEAR STRENGTH EN ISO 3377-1

FIRE RATINGS

Available on request

EMBOSSED ELMODESIGN

APPLICATION PLEASE NOTE An elegant and sturdy European leather with a batik two-tone aesthetic

5 sqm

Pure-Aniline



Dry 4 Wet 4 Perspiration 4

3

 $pH > 3.2 \Delta pH \le 0.7$

> 20 N

California 117, EN 1021-1+2, FAR 25.853(a), IMO A.652(16),

ISO 8191: 1+2

Available in Pique, Herringbone, Wicker Weave, Basket Weave, Small Basket Weave, Ferrari and Lamborghini. Refer to the Embossed Elmodesign

brochure

Upholstery

Only the very best raw hides are used for Pure-Aniline leathers. The natural characteristics such as insect bites, fat wrinkles, growth marks and healed scars can still be visible, a sign of a superior natural leather with its own individuality. Pure-Aniline leathers do not have any protective coating or pigment on the surface and are therefore more susceptible to fading from sunlight exposure. Care should be taken in high-traffic areas where spillages could stain the leather. Results from performance tests are quidelines only

CARE

Leather Care for Aniline Leathers is available from our website

ENVIRONMENT

- Leather is an agricultural by-product
- Reduced energy consumption (5%), recycling of waste (95%), no hazardous substances are used
- Produced at a tannery with an ISO 14001 certified **Environmental Management System**
- Certified as low-VOC
- Reusable

GREEN STAR

- ELMOBALTIQUE can contribute low VOC points
- ELMOBALTIQUE can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C." Therefore any leather can be used as leathers are almost always under 10% by weight of a furniture item

LEED

ELMOBALTIQUE can contribute low VOC points

WELL

ELMOBALTIQUE can contribute to Low VOC / VOC Reduction Toxic Material Reduction: ELMOBALTIQUE is free of PFCs, flame retardants, phthalates and urea formaldehyde

SEATING COMFORT RATING



A rating to determine a leather's seating comfort based upon the leather's ability to breathe and absorb moisture. Tested to ASTM E 96 M-05. ELMOBALTIQUE achieves a Very Good Seating Comfort rating.

