

SODA

A plain screen textile with a subtle metallic texture.

INSTYLE


SODA



SODA Cream



SODA Can



SODA Club




SODA Stream



SODA Float



SODA Baking



SODA Fountain



SODA Jet



SODA Lime



SODA Spring



SODA Water



SODA Machine




SODA Orange



SODA Burst

Product may vary in colour due to the nature of the media
Please refer to website for current colour range



COMPOSITION	100% polyester	PERFORMANCE								
WIDTH	186cm	<ul style="list-style-type: none"> • Easy to wash, quick drying with minimal shrinkage. • Designed to withstand hospital and healthcare laundry and performance standards: • AS/NZS 4146 Australian and New Zealand Standard for Laundry Practice. • AS3789.9 Textiles for healthcare facilities and institutions: Curtains and patient bedscreens: fabric performance properties for colourfastness. • AS2663.1 Textiles - fabrics for window furnishings: Uncoated fabrics - dimensional change. 								
WEIGHT	200gsm									
PATTERN REPEAT	H 0.4cm V 0.6 cm									
ROLL SIZE	50m approx.									
CARE CODE	Partition/Wall Panel: Screen Care Curtain/Bedsread: Polyester Healthcare Soft Furnishing: Polyester Soft Furnishings									
CTA RATING	 COMMERCIAL SCREEN FABRICS	ENVIRONMENT								
LIGHTFASTNESS AS 2001.4.21	6+	<ul style="list-style-type: none"> • 100% third-party certified polyester yarn: meets human ecological requirements according to Oeko-Tex Standard 100 Class I. • Environmentally Improved Production Process: reduced water and energy consumption, reuse and recycling of waste 								
FIRE RATINGS AS/NZS 1530.3	<table border="0"> <tr> <td>Ignitability</td> <td>0</td> </tr> <tr> <td>Spread of Flame</td> <td>0</td> </tr> <tr> <td>Heat Evolved</td> <td>0</td> </tr> <tr> <td>Smoke Developed</td> <td>0-1</td> </tr> </table>	Ignitability	0	Spread of Flame	0	Heat Evolved	0	Smoke Developed	0-1	GREEN STAR
Ignitability	0									
Spread of Flame	0									
Heat Evolved	0									
Smoke Developed	0-1									
AS/NZS 3837	BCA Group 1 Av. Specific Extinction Area 476.6 m2/kg	<ul style="list-style-type: none"> • SODA can be used on white vertical surfaces certified to Ecospecifier, AFRDI, ECNZ and GECA. • The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C." Therefore any fabric can be used as fabrics are almost always under 10% by weight of a furniture item. 								
APPLICATION	workstations, partitions, wall panels, curtains, privacy screens, bedsreads Note: If curtaining is exposed to direct sunlight, ensure the curtains are protected with a suitable lining.									
ORIGIN	Australia									