


Ecoustic® Foliar

A striking acoustic modular tile designed by Adam Cornish



Front View



PRODUCT Ecoustic® Foliar Tile by Adam Cornish


DESCRIPTION A striking and dynamic modular tile designed to

provide quality sound absorption

DIMENSIONS 501mm (w) x 445mm (h) x 55mm (d)

ACOUSTIC NRC 0.65 / NRC 0.80 (Ecoustic® Infill)

AS/ISO 354



LIGHTFASTNESS > 6

ISO 105-B02

FIRE RATINGS

AS/ISO 9705 Ecoustic® Foliar Leaf Group 1

SMOGRA <100


GB8624-2012 Grade B1

APPLICATION wall + ceiling (must be glued)

ORIGIN Australia + New Zealand

Please contact your representative for CAD drawings

Side View



BENEFITS

Lightweight, Easy to Handle + Install: Screw the base tile directly to your wall and then snap on the top tile. The design can be easily extended at a later stage.

Designed for the Environment

- Leaf: 100% polyester (up to 23% PC + PI recycled content)
- Designed for disassembly + recyclable
- Leaf is low-VOC, EPD + Greentag Level A Certified


Warranty: A 12 month warranty is provided against manufacturing defects. Internal use and installation only, outdoor use will void any warranty.

Building Rating Systems: Ecoustic® Foliar Leaf will contribute the following points for Green Star, LEED + WELL building standards.

| Criteria | Green Star | LEED | WELL |
|---|---------------|------|------|
| Recycled Content | √ | √ | NA |
| Low VOC | √ | √ | √ |
| Recycling Program | √ | √ | NA |
| EPD | √ | √ | NA |
| Third Party Greentag Level A Certification | V | V | √ |
| Toxic Material Reduction | NA | NA | √ |
| Sound Reducing Surfaces | NA | NA | √ |

| HOW TO SPECIFY | | |
|------------------|---|--|
| DESIGN | Ecoustic® Foliar Tile | |
| LEAF COLOUR | Select leaf from Ecoustic® Felt colours | |
| BASE COLOUR | Select from base colours | |
| ECOUSTIC® INFILL | Optional extra - order separately | |





Product may vary in colour due to the nature of the media, please refer to website for current colour range Variation in colour is an inherent feature of this product and variation from batch to batch may occur

