

BUCK

—

An exquisite nubuck
leather with a soft
velvet touch



INSTYLE

BUCK




BUCK Ermine



BUCK Cashmere



BUCK Pearl




BUCK Martin



BUCK Chinchilla



BUCK Squirrel




BUCK Mink




BUCK Sable



BUCK Fallow





BUCK Otter



BUCK Onyx

Leather may vary in colour due to the nature of the media
Please refer to website for current colour range



AVERAGE HIDE SIZE	5 sqm approx.
THICKNESS	1.4 - 1.6mm
WEIGHT	1200gsm
LEATHER TYPE	Nubuck 
COLOURFASTNESS TO-AND-FRO RUBBING EN ISO 11640 + 11641	Dry 3 Wet 3 Perspiration 3
LIGHTFASTNESS EN ISO 105-B02	3-4
pH AND ΔpH EN ISO 4045	pH 3.65 ΔpH 0.54
TEAR STRENGTH EN ISO 3377-1	>77 N
FIRE RATINGS AS/NZS 1530.3	Ignitability 15 Spread of Flame 0 Heat Evolved 1 Smoke Developed 2
AS/NZS 3837	BCA Group 1 Av. Specific Extinction Area 60m2/kg
ISO 5660-1	NZBC Group 1 Av. Specific Extinction Area 60m2/kg
APPLICATION	Upholstery and wall panels for low traffic commercial, residential and hospitality applications
PLEASE NOTE	Only the very best raw hides are used for Nubuck leathers. The natural characteristics such as insect bites, fat wrinkles, growth marks and healed scars can still be visible, a sign of a superior natural leather with its own individuality. Nubuck leathers do not have any protective coating on the surface and are therefore more susceptible to fading from sunlight exposure. Results from performance tests are guidelines only.

CARE

- BUCK is stain resistant with Scotchguard protection, preventing liquids from penetrating the surface of the leather
- Leather Care for Nubuck Leathers is available from our website

ENVIRONMENT

- Leather is an agricultural by-product
- BUCK is produced at a European tannery that complies with EU REACH Regulation for the use of chemicals
- Certified as low-VOC
- Reusable

GREEN STAR

- BUCK can contribute low VOC points
- BUCK can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states “Where at least 90% of an item’s mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C.” Therefore any leather can be used as leathers are almost always under 10% by weight of a furniture item

LEED

- BUCK can contribute low VOC points

WELL

- BUCK can contribute to Low VOC / VOC Reduction
- Toxic Material Reduction: BUCK is free of PFCs, flame retardants, phthalates and urea formaldehyde

SEATING COMFORT RATING



A rating to determine a leather’s seating comfort based upon the leather’s ability to breathe and absorb moisture. Tested to ASTM E 96 M-05. BUCK achieves an Excellent Seating Comfort rating.