

# Ecoustic<sup>®</sup> Torque


—  
An acoustic modular wall tile that provides excellent broadband sound absorption




INSTYLE

# Ecoustic® Torque Wall Tile


Front View



Side View



**PRODUCT** Ecoustic® Torque Wall Tile  
**COMPOSITION** 100% polyester (<23% PC + PI recycled PET)  
**DIMENSIONS** 570mm (w) x 570mm (h) x 42mm (d)  
**ACOUSTIC**  $\alpha_w$  0.5 / NRC 0.6  
 $\alpha_w$  0.75 / NRC 0.8 (Ecoustic® Infill increases acoustic performance by 30%)



**FIRE TEST** AS/ISO 9705 Group 1  
 SMOGRA <100  
 GB8624-2012 Grade B1  
**APPLICATION** wall + ceiling (must be glued)  
**ORIGIN** Made in Australia  
**WARRANTY** A 12 month warranty is provided against manufacturing defects. Internal installation only, outdoor use will void any warranty

Please contact your representative for CAD drawings

## BENEFITS

**Lightweight, Easy to Handle + Install:** Position the 4-way clips using the template provided, then simply press the tile into place. The tiles can be easily moved or extended at a later stage.

## Designed for the Environment



**Building Rating Systems:** Torque will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content	√	√	NA
Low VOC	√	√	√
Recycling Program	√	√	NA
EPD	√	√	NA
Declare Label	NA	√	√
Greentag Level A Certification	√	√	√
Toxic Material Reduction	NA	NA	√
Sound Reducing Surfaces	NA	NA	√



## HOW TO SPECIFY

DESIGN	Ecoustic® Torque Wall Tile
COLOUR	Select from Ecoustic® Felt colours
ECOUSTIC® INFILL	Optional extra - order separately

# Ecoustic® Torque Components

## Screws

Flat-head c/sunk 25mm (1") 10g  
[ 2 per 4-way clip ]  
Not supplied



## Ecoustic® Torque Tile


100% polyester (up to 23% recycled content)  
8 tiles per box in a single colour



## 4 way clip


Clear ABS

16 + 1 spare 4-way clips are supplied with each box  
Single clip template is included in each box




### Complete

Use a complete clip for each junction of 4 tiles



### Half


Break a clip in half for each straight edge 2 tile joins



### Quarter

Break clip into quarters for each single tile corner

## Example 2280 x 2280mm Clip Layout



Product may vary in colour due to the nature of the media  
Please refer to website for current colour range  
Variation in fibre mix and colour is an inherent feature of this product and variation from batch to batch may occur