



STUDIO

—

A soft, fine-pored pigmented leather with a wide range of colours

INSTYLE


STUDIO



Titanium



Limestone



Calcium



Vanilla



Sesame



Pumice



Chia




Sandalwood




Ginger




Marble




Almond



Mustard




Cumin




Barley




Hickory




Anise




Red Clay




Earth




Treacle




Peppercorn




Acorn




Ayers




Pimento



Portabello




Obsidian




Concrete




Meteor



Iron




Slate




Paynes Grey

Leather may vary in colour due to the nature of the media
Please refer to website for current colour range


STUDIO




Naples




Rye




Zatar




Hawthorn




Grove




Fennel




Olivine




Vine




Emerald




Fir




Blue Duck




Willow




Lapis




Drake




Indigo




Spice




Goji




Vermillion




Rosehip



Syrah





Claret



Burgundy

Leather may vary in colour due to the nature of the media
Please refer to website for current colour range



PRODUCT	Studio is a soft, fine-pored European pigmented leather, developed to perform in high traffic environments. Durable and easy to care for, Studio provides excellent colour consistency and a high yield.	
AVERAGE HIDE SIZE	5.5sqm approx.	
THICKNESS	0.9 - 1.1mm	
WEIGHT	910gsm approx.	
LEATHER TYPE	Pigmented 	
COLOURFASTNESS TO-AND-FRO RUBBING	Dry ≥ 3 Wet $\geq 3/4$ Perspiration $\geq 3/4$	
LIGHTFASTNESS EN ISO 105-B02	≥ 5	
FINISH ADHESION EN ISO 11644	$>2N / 10mm$	
FLEXING ENDURANCE EN ISO 5402	$> 50,000$	
pH AND ΔpH EN ISO 4045	pH 3.5 ΔpH 0.41	
TEAR STRENGTH EN ISO 3377-1	$> 20 N$	
FIRE RATINGS AS/NZS 1530.3	Ignitability	15
	Spread of Flame	0
	Heat Evolved	3
	Smoke Developed	5
AS/NZS 3837 (AS 5637.1)	BCA Group 1 Av. Specific Extinction Area 25m ² /kg	
ISO 5660.1 NZBC Method C/VMA app A	NZBC Group 1S Av. Specific Extinction Area 16.9m ² /kg	
Additional Fire tests	EN 1021-1	
APPLICATION	upholstery, wall panel	
PLEASE NOTE	Results from performance tests are guidelines only	

CARE

- Leather Care for Finished Leathers is available from our website

ENVIRONMENT

- Leather is an agricultural by-product
- Water and energy reuse + recycling, renewable energy use (30%), non-potable water use (100%), no hazardous substances are used. Finishing is carried out using exclusively water-based conditioning systems
- Certified as low-VOC
- Produced at a tannery with an ISO 14001 certified Environmental Management System
- Reusable

GREEN STAR

- STUDIO can contribute low VOC points
- STUDIO can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C." Therefore any leather can be used as leathers are almost always under 10% by weight of a furniture item

LEED

- STUDIO can contribute low VOC points

WELL

- STUDIO can contribute to Low VOC / VOC Reduction
- Toxic Material Reduction: STUDIO is free of PFCs, flame retardants, phthalates and urea formaldehyde

SEATING COMFORT RATING

A rating to determine a leather's seating comfort based upon the leather's ability to breathe and absorb moisture. Tested to ASTM E 96 M-05. STUDIO achieves a Fair Seating Comfort rating.