



SPRING


—
A high performance vinyl
with a contemporary organic
pattern

vivid


SPRING



SPRING Air



SPRING Forward



SPRING Bloom




SPRING Day




SPRING Project



SPRING Into Action



SPRING Season



SPRING Countdown



SPRING Equinox



SPRING Loaded

Product may vary in colour due to the nature of the media
Patterns shown are not to scale
Please refer to website for current colour range



<p>COMPOSITION 85% PVC, 15% polyester + Resilience</p> <p>WIDTH / ROLL SIZE 137cm / 27.4m approx</p> <p>WEIGHT 639gsm</p> <p>PATTERN REPEAT H 52.5cm V 50.5cm</p> <p>CARE CODE V1</p> <p>ABRASION Martindale AS2001.2.25 >100,000 Wyzenbeek ASTM 4157 >350,000</p> <p>LIGHTFASTNESS >6 ISO 105-B02</p> <p>TEARING FORCE Length 87.5N Width 44N AS2001.2.10</p> <p>UV RESISTANCE >500 hours AATCC 16-2004, Option 3</p> <p>ADDITIONAL RESULTS Blocking Resistance AS4878.11 Resistance to Flex Cracking AS4878.9 Tensile Strength AS4878.6 Elongation + Stretch Set AS1441.9 Loss of Plasticiser AS1441.8</p> <p>FIRE RATINGS AS/NZS 1530.3</p> <table border="0"> <tr> <td>Ignitability</td> <td>16</td> </tr> <tr> <td>Spread of Flame</td> <td>0</td> </tr> <tr> <td>Heat Evolved</td> <td>1</td> </tr> <tr> <td>Smoke Developed</td> <td>5</td> </tr> </table> <p>Additional Fire Tests MVSS 302, NFPA 260 California Bulletin 117 E</p> <p>APPLICATION Upholstery (indoor), banquette seating, bedheads, screen for healthcare, hospitality, office, public building, education, automotive + residential</p> <p>PLEASE NOTE Results from performance tests are guidelines only</p>	Ignitability	16	Spread of Flame	0	Heat Evolved	1	Smoke Developed	5	<p>PERFORMANCE</p> <ul style="list-style-type: none"> • Permanent Stain Protection: The Resilience finish guards against most stains. Most stains can simply be wiped away using mild soap and water • Waterproof and Water Resistant • Abrasion Resistance: Resilience provides additional wear properties and surface durability, thereby increasing the life of the material. SPRING is able to withstand wear and tear in high demanding situations • Easy to Clean + Bleach Cleanable: Easily cleaned with mild soap and water. Can be easily disinfected using one part bleach and ten parts water • Superior Lightfastness: Achieves 500 hours light fastness <p>ENVIRONMENT</p> <ul style="list-style-type: none"> • Free of phthalates, flame retardant + anti-bacterial additives (ADF); lead, BPA, TRIS + formaldehyde • Does not contain conflict minerals • Reduced energy and water use, recycling of waste + solution-dyed product • Meets the environmental, health and safety standards set by California Prop 65, CPSIA + REACH <p>GREEN STAR</p> <ul style="list-style-type: none"> • SPRING can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA. • The Green Star Rating Tool states “Where at least 90% of an item’s mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C.” Therefore any fabric can be used as fabrics are almost always under 10% by weight of a furniture item. <p>WELL</p> <ul style="list-style-type: none"> • SPRING can contribute to WELL Toxic Material Reduction criterion as it is free of PFCs, flame retardants, phthalates and urea formaldehyde
Ignitability	16								
Spread of Flame	0								
Heat Evolved	1								
Smoke Developed	5								