

# Ecoustic® Workstation SC Print

—  
Acoustic screens with double-sided prints,  
ideal for frameless workstation screens



## Design + Colours



PLUS Silver on Snowdrop



PLUS White on Almond



LOOP Ochre on Almond



AXIS Putty on Almond




DISC Moss on Almond




RAW Putty on Galaxy




LOOP White on Oxide




AXIS Navy on Oxide



PLUS Petrol on Oxide



TRI Slate on Oxide



RAW White on Oxide

Custom designs, print ink + base colours are also available, minimums apply

Product may vary in colour due to the nature of the media  
Please refer to website for current colour range

# Ecoustic® Workstation SC Print



**PRODUCT** Ecoustic® Workstation SC Print

**COMPOSITION** 100% PET

**THICKNESS** 12mm approx.

**WEIGHT** 2400gsm approx.

**DIMENSIONS** 1200 x 2700mm approx.

**LIGHTFASTNESS** >7

**FIRE RATINGS**  
AS/NZS 1530.3

|                 |   |
|-----------------|---|
| Ignitability    | 8 |
| Spread of Flame | 0 |
| Heat Evolved    | 1 |
| Smoke Developed | 5 |

AS/ISO 9705

BCA Group 1  
SMOGR <100


NZBC Group 1-S

ASTM E84

Class A

**ACOUSTIC**  
AS/ISO 354

$\alpha_w$  0.8 / NRC 0.85 (200mm)



**APPLICATION** Workstation screen, partition + ceiling

**PLEASE NOTE** Trimming to square each individual panel is essential  
Variation in thickness, fibre mix and colour as well as flecks and other slight surface blemishes are an inherent feature of this product and are unavoidable  
Variation from batch to batch may occur

## BENEFITS

**Lightweight, Easy to Handle + Install:** Compared to traditional panels, Ecoustic® Workstation SC Prints are lower in weight, easier to handle and results in reduced transportation costs. Workstation SC Prints can be trimmed and installed without the need for additional finishes, which reduces labour and material costs. Installation + Care Guidelines are available on our website.

### Designed for the Environment

- Designed for disassembly + recyclable
- Ecoustic® SC panels are low-VOC + Oeko-Tex Certified

**Building Rating Systems:** Workstation SC Print will contribute the following points for Green Star, LEED + WELL building standards.

| Criteria                  | Green Star | LEED | WELL |
|---------------------------|------------|------|------|
| Low VOC                   | ✓          | ✓    | ✓    |
| Recycling Program         | ✓          | ✓    | NA   |
| Third Party Certification | -          | ✓    | ✓    |
| Toxic Material Reduction  | NA         | NA   | ✓    |

## HOW TO SPECIFY

|                        |   |
|------------------------|---|
| <b>PRODUCT</b>         | Ecoustic® Workstation SC Print  |
| <b>THICKNESS</b>       | 12mm  |
| <b>DESIGN + COLOUR</b> | Select from Workstation SC Print colours<br>Custom designs, print ink + base colours are also available, minimums apply |