

## **Caprio**



Perla CPR-01



Ashwood CPR-02



Kingsbury CPR-05



Harper CPR-04



Westcott CPR-03



FACE COMPOSITION

Paulownia veneer

**BACKING TYPE** 

Non-woven

WIDTH

91cm

WEIGHT

200gsm / 403g lineal mtr

PATTERN REPEAT

Non-match

**ROLL SIZE** 

10.9m approx. NB: minimum order quantity is 10.9m and 3.6m multiples

**PERFORMANCE** 

Untyped Wallcovering

FIRE RATING

ASTM E-84 Tunnel Test Class A

**ENVIRONMENT** 

Made from renewable content (paulownia veneer)

## PRODUCT INSTALLATION

- Please refer to installation instructions for Caprio supplied with each shipment. A copy is also available on our website.
- All material must be installed in numerical sequence as cut from the roll.

## **CARE + MAINTENANCE**

- Due to the delicate nature of the finishes, care must be taken not to damage or mark the surface due to abrasion / rubbing.
- General maintenance can be achieved with periodic dusting or
- vacuuming with a soft brush attachment.
- Remove ordinary dirt and smudges with a mild soap and warm water solution.
- Always test the solution on an inconspicuous portion of the wallcovering before proceeding, checking that there is no adverse effect on finish, colour or gloss.
- Care should be taken on dark colours due to the possibility of causing 'light marks'. Always use a blotting action rather than rubbing to avoid abrasion.
- Dry with a soft lint free cloth or towel.
- Avoid alcohol / solvent based cleaners.
- Caprio care and maintenance instructions are available on our website.

## WARRANTY

For a period of 3 years from date of invoice this wallcovering
is guaranteed to be first quality and free of manufacturing
defects. This warranty applies only to professionally applied
installations according to the recommended installation
instructions, and proper care and maintenance using
appropriate cleaning agents as outlined in the care and
maintenance instructions.







