A versatile solid-coloured heavy duty crepe from the LIFE Textiles® collection

INSTYLE






ATLAS Summit





ATLAS Drifter



ATLAS Amber




ATLAS Pucker



ATLAS Ash



ATLAS Husk



ATLAS Nashi



ATLAS Frontier



ATLAS Allure



ATLAS Raspberry



ATLAS Heather



ATLAS Endeavour



ATLAS Medal



ATLAS Marmalade



ATLAS Trailblazer



ATLAS Fez



ATLAS Tapenade



ATLAS Nougat



ATLAS Mustard



ATLAS Paprika



ATLAS Siren



ATLAS Globe



ATLAS Velvet



ATLAS Hound



ATLAS Truffle



ATLAS Oxide



ATLAS Lantern



ATLAS Beetroot



ATLAS Regent

Patterns shown are not to scale Product may vary in colour due to the nature of the media Please refer to website for current colour range




ATLAS Chart






ATLAS Citrus



ATLAS Bud



ATLAS Sound



ATLAS Glacier



ATLAS Fossil




ATLAS Wren




ATLAS Parrot



ATLAS Settler



ATLAS Bounty



ATLAS Spinnaker



ATLAS Slate



ATLAS Hessian



ATLAS Explorer




ATLAS Juniper



ATLAS Rockpool



ATLAS Sapphire




ATLAS Elk




ATLAS Turf




ATLAS Drake



ATLAS Ship



ATLAS Cadet




ATLAS Deep



ATLAS Grizzly




ATLAS Highland




ATLAS Laurel



ATLAS Topaz




ATLAS Cove



ATLAS Emperor


Patterns shown are not to scale Product may vary in colour due to the nature of the media Please refer to website for current colour range



ATLAS Lido



ATLAS Fig



ATLAS Admiral



ATLAS Pirate



ATLAS Thunder




ATLAS Sketch



ATLAS Squid

LIFE Textiles®



COMPOSITION

WIDTH / WEIGHT

PATTERN REPEAT

ROLL SIZE

CARE CODE

ABRASION Martindale AS2001.2.25 Wyzenbeek ASTM 4157

CTA RATING

SEAM SLIPPAGE AS2001.2.22

PILLING Martindale IWS196

LIGHTFASTNESS

FIRE RATINGS AS/NZS 1530.3

AS/NZS 3837

IMO Resolution A.652(16)

Additional Fire Tests

ACOUSTIC AS/ISO 354

APPLICATION

ORIGIN

PLEASE NOTE

100% Australian worsted EthEco® wool 137cm / 402gsm Nil 55m approx. CTA 1

51,000 91,000 double rubs



HEAVY DUTY COMMERCIAL USE

Warp 5.3mm Weft 6.5mm Note: All seams must be overlocked or secured to prevent the premature failure of the seam due to fraying

3 - 4

>5 Ignitability 15 Spread of Flame 0 Heat Evolved 0 Smoke Developed 3 BCA Group 1 Av. Specific Extinction Area 85.1m2/kg Sections 8.2 + 8.3 Pass California 117E, ASTM E84 NRC 0.55 Acoustic drapery helps reduce unwanted reverberation whilst softening sound within a space Upholstery seating, screens, wall panels + acoustic drapery* *refer to acoustic drapery specification Made in Australia Results from performance tests are guidelines only



ENVIRONMENT

- 100% sustainable, rapidly-renewable content: EthEco[®] wool is sourced from non-mulesed sheep cared for on holisticallymanaged farms
- Manufactured to strict environmental criteria, reduced water and energy use, reuse of water (30%), recycling of waste, no hazardous substances such as heavy metal dyes
- Wool absorbs indoor air contaminants, benefiting indoor air quality
- ATLAS is certified as low-VOC
- 100% biodegradable and recyclable through our Revive[®] program

GREEN STAR

ATLAS can contribute points to the following Green Star criteria:

- Stewardship Programs: ATLAS can be reused or recycled through our Revive recycling program
- Low-VOC
- ATLAS can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C." Therefore any fabric can be used as fabrics are almost always under 10% by weight of a furniture item

LEED

ATLAS can contribute points to the following LEED criteria:

- Bio-Based + Rapidly-Renewable Content (100%)
- Low-VOC
- Extended Producer Responsibility Recycling Program

WELL

ATLAS can contribute to the following WELL criteria:

- Low VOC / VOC Reduction: ATLAS is low VOC
- Toxic Material Reduction: ATLAS is free of PFCs, flame retardants, phthalates and urea formaldehyde

