

PAINTBOX





PAINTBOX






Umber

Product may vary in colour due to the nature of the media Please refer to website for current colour range



PAINTBOX - ADF Vinyl

High Performance - Healthcare



COMPOSITION 87% PVC, 13% polyester + Resilience

WIDTH / ROLL SIZE 137cm / 27.4m approx.

WEIGHT 678gsm

PATTERN REPEAT nil
CARE CODE V1

ABRASION

Martindale AS2001.2.25 >50,000 Wyzenbeek ASTM 4157 >150,000

LIGHTFASTNESS >6 ISO 105-B02

TEARING FORCE Length 78.7N Width 66.2N AS2001.2.10

UV RESISTANCE ASTM G26-96 Method C

500 hours

ADDITIONAL RESULTS Blocking Resistance AS4878.11
Resistance to Flex Cracking AS4878.9

Rubfastness ISO 105-X12
Breaking Force AS2001.2.3.2
Elongation + Stretch Set AS1441.9
Loss of Plasticiser AS1441.8

FIRE RATINGS

AS/NZS 1530.3 Ignitability 16
Spread of Flame 0
Heat Evolved 1

Smoke Developed

5

Additional Fire Tests California Bulletin 117 E

FMVSS NFPA 260

APPLICATION Indoor + outdoor upholstery, banquette

seating, bedheads, screens for healthcare, hospitality, office, public building, education, automotive

+ residential

PLEASE NOTE Results from performance tests are

quidelines only

PERFORMANCE

- Permanent Stain Protection: The Resilience finish guards against most stains. Most stains can simply be wiped away using mild soap and water
- Antimicrobial Protection: Engineered to inhibit fungus, mould and mildew spores, resulting in a more hygienic environment.
 PAINTBOX has been tested to ASTM G21 Resistance of Synthetic Polymeric Materials to Fungi.
- Waterproof + Water Resistant
- Easy to Clean + Bleach Cleanable: Easily cleaned with mild soap and water. Can be easily disinfected using one part bleach and ten parts water
- Superior Lightfastness: Achieves 500 hours light fastness

ENVIRONMENT

- Free of phthalates, flame retardant + anti-bacterial additives (ADF); lead, BPA, TRIS + formaldehyde
- Does not contain conflict minerals
- Reduced energy and water use, recycling of waste + solutiondyed product
- Meets the environmental, health and safety standards set by California Prop 65, CPSIA + REACH

GREEN STAR

- PAINTBOX can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states "Where at least 90% of an item's mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C." Therefore any fabric can be used as fabrics are almost always under 10% by weight of a furniture item

WELL

 PAINTBOX can contribute to WELL Toxic Material Reduction criterion as it is free of PFCs, flame retardants, phthalates and urea formaldehyde

