

ELMOTIQUE

—

A soft and smooth European leather with an antique appearance

INSTYLE


ELMOTIQUE



87008



77875



97026



11038



91059



45023



95947



95044



93957



99001




04010



43024



03028




43807



93718



48027





98042



13033

Leather may vary in colour due to the nature of the media
Please refer to website for current colour range



AVERAGE HIDE SIZE	5sqm
THICKNESS	1 - 1.2mm
WEIGHT	810gsm
LEATHER TYPE	Pure Aniline 
COLOURFASTNESS TO TO-AND-FRO RUBBING EN ISO 11640 + 11641	Dry 4 Wet 4 Perspiration 4
LIGHTFASTNESS EN ISO 105-B02	3
pH AND ΔpH EN ISO 4045	pH >3.2 ΔpH ≤ 0.7
TEAR STRENGTH EN ISO 3377-1	>20 N
FIRE RATINGS AS/NZS 1530.3	Ignitability 15 Spread of Flame 0 Heat Evolved 2 Smoke Developed 3
AS/NZS 3837	BCA Group 1 Av. Specific Extinction Area 85m2/kg
ISO 5660-1	NZBC Group 1S Av. Specific Extinction Area 85m2/kg
Additional Fire Tests	Available on request
APPLICATION	Upholstery, screen, wall panel
PLEASE NOTE	Only the best raw hides are used for Pure-Aniline leathers. The natural characteristics such as insect bites, fat wrinkles, growth marks and healed scars can still be visible, a sign of a superior natural leather with its own individuality. Pure-Aniline leathers do not have any protective coating or pigment on the surface and are therefore more susceptible to fading from sunlight exposure. Care should be taken in high-traffic areas where food and drink spillages could stain the leather Results from performance tests are guidelines only

CARE

- Leather Care for Aniline Leathers is available from our website

ENVIRONMENT

- Leather is an agricultural by-product
- Reduced energy consumption (5%), recycling of waste (95%), no hazardous substances are used
- Produced at a tannery with an ISO 14001 certified Environmental Management System
- Certified as low-VOC
- Reusable + fully biodegradable

GREEN STAR

- ELMOTIQUE can contribute low VOC points
- ELMOTIQUE can be used on white furniture certified to Ecospecifier, AFRDI, ECNZ and GECA
- The Green Star Rating Tool states “Where at least 90% of an item’s mass is certified to a GBCA recognised standard, the item can be entered as a certified product at Level A, B or C.” Therefore any leather can be used as leathers are almost always under 10% by weight of a furniture item

LEED

- ELMOTIQUE can contribute low VOC points

WELL

- ELMOTIQUE can contribute Low VOC / VOC Reduction
- Toxic Material Reduction: ELMOTIQUE is free of PFCs, flame retardants, phthalates and urea formaldehyde

SEATING COMFORT RATING



A rating to determine a leather’s seating comfort based upon the leather’s ability to breathe and absorb moisture. Tested to ASTM E 96 M-05. ELMOTIQUE achieves an Excellent Seating Comfort rating.